SUBJECT INDEX TO VOLUME—56[1]

All new names are printed in *italics*

Abpamphantus gibbosus, 698
Acalymma vittata, 657
Acanthepeira stellata, 655
Acaridae, 632, 682
Acarina, 268, 488, 682, 789
  in animal manure, 628
Aceria agropyronis, 879
  tulipae, 879
Achaetoneura aletiae, 92
Acheta domesticus, rearing on commercial feed, 250
Acilius sulcatus, 460
Acontia aprica, 536
Aedes, taxonomy of, 798
Aedes aegypti, 407, 560
  (Stegomyia) albopictus, 161
  atlanticus, 427
  (Finlaya) atropalpus, 161, 407
  canadensis, 427
  caspius dorsalis, 416
  cinereus, 427
  dorsalis, 415, 429
  dupreei, 427
  fitchii, 429
  hendersoni, 620
  hexadontus, 427
  nigromaculis, 407
  nigromaculis, diapause in, 409
  punctor, 427
  sierrensis, 407, 560
  sollicitans, 432
  squamiger, 417
  sticticus, 431
  (Ochlerotatus) stimulans, 161, 427
  thibaulti, 427
  (Finlaya) togoi, 161
  triseriatus, 620
  trivittatus, 427
  (Aedimorphus) vexans, 161, 427
  zoosophus, 620
Aeneolamia varia saccharina eggs, exposure of, 719
Agapostemon, 350
  virescens, 352
Agathidinae, 387, 526
Agelinidae, 656
Agromyzidae, 376
Agrotis ipsilon, 536
Agulla sp., 295
Albinism in citrus red mite, 792
Aleurodothrips fasciapennis, studies on, 709
  lepidosaphes, 711
Aleyrodidae, 149
Alfalfa weevil, parasitized by Hemiteles, 857
Altomerus greeni, 700
Alysia alticola, 526
Alysiinae, 387, 522
Amaryllidaceae, infested by Taeniothrips, 399
American cockroach, fate of 4-C^{14}-cholesterol in, 115
Amines, attractants for Milichiella, 1
Amino acids in mites, 406
Amphimallon majalis, 239
Anagasta kühniella, 359, 616
Analgesoidea, 789
Anarete johnsoni, ecology of, 748
Andricus californicus, 296
Anicla infecta, 536
Anobiidae, 280
Anopheles albimanus, 560
  freeborni, 276, 320
  freeborni larvae, morphological features, 276
  maculipennis, 276
  occidentalis, 276
  punctipennis, 276
  quadrimaculatus, 161
Antennapedia in Tribolium, 123
Anthicidae, 376
Anthonomus grandis, 612, 659
Anyphaenidae, 657
Apanteles hesperidivorus, 526
  medicaginis, suppression of Colias, 358
Aphid, hosts of Aphidius, 649
  new, 556
Aphidae, 334
Aphidiidae, 648
Aphidiinae, 526
Aphidius matricariae, identity, distribution, and hosts of, 648
  (Aphidius) sp., 526
Aphidoidea, 648
Apion rostrum, 770
Apis mellifera, 296, 473
  responses to queens, 372
Aquatic gnat, life history study of, 816
Araneida, 345
Argas, notes on the subgenus, 577
Argas (A.) lagenoplastis, biology of, 577
Argasidae, 577
Argidae, 377
Argiopidae, 345, 655
Argyrotaenia velutinana, parasitism of, 564
Army ants with Thysanura, 170
Arthropods, defense mechanisms of, 37
Asilidae, 234, 376
Atta texana, nest, 286
Attaphilia fungicola, 289
Augochlora, 350
  pura, 352
Augochlorella striata, 352
Augochloropsis, 351
  metallica, 349
Aulacus brevicaudus, 305
Australian fairy martin, 577
Axenic cultures, termites in, 703, 706
Aysha gracilis, 657
Bacillus thuringiensis, house fly exposure to, 878
Balboa ampliata, 698
Banana flower thrips, biology of, 664
Banana pests, biology of, 87
Banasa calva, life history of, 687
  dimidiata, life history of, 687
Barbara colfaxiana, pest of Douglas-fir, 246
Bark beetles of genus Dryocoetes, 103
Bathycles amarali, 700
Bathyplectes curculionis, 859
Bees, tibial spurs of, 348
Belaphotroctes, 27
  hermosus, 27
  okalensis, 31
Belostomatidae, 261
Berytidae, 377
Biology of: Argas lagenoplastis, 577
  banana flower thrips, 664
  banana pests, 87
  Catorama herbarium, 283
  Conoderus vespertinus, 669
  Culex tarsalis, 314
  Hemiteles graculus, 857
  Histiogaster, 682
  Lethocerus, 261
  Panorpa nuptialis, 142
  Plagiognathus chrysanthemi, 804
  predatory thrips, 709
Bionomics, Microctonus sitonae, 600
  Sitona scissifrons, 600
Birdsfoot trefoil, Plagiognathus pest of, 804
Bittacus apicalis, 235
  chlorostigma, 295
  strigosus, 235
Blaberus craniifer, 720
  X-irradiation on embryos, 442
Blacinae, 387, 526
Black grama grass, insects associated with, 374
Blattella germanica, 201, 718
  effects of ionizing radiation on, 256
Bleaching technique for entomology, 407
Blissinae, 698
Boll weevil, fatty acids of, 612
Bombycidae, 122
Bombyliidae, 376
Bombyx mori, year-round laboratory rearing of, 122
Book Reviews: Authors:
  Belkin, John N., and Charles L. Hogue, 125
  Gregg, Robert E., 721
  Hull, Frank M., 126
  Little, Van Allen, 408
  Mitchell, Theodore B., 721
  Sakaguti, K., and E. W. Jameson, 126
  Wilson, Frank, 627
Book Reviews: Titles:
  Australia as a Source of Beneficial Insects for Biological Control, 627
  Bees of the Eastern United States, 721
  General and Applied Entomology, 408
  Robber Flies of the World, 126
  The Ants of Colorado: With Reference to Their Ecology, Taxonomy, and Geographic Distribution, 721
  The Mosquitoes of the South Pacific, 125
  The Siphonaptera of Japan, 126
Bouteloua eriopoda, insects associated with, 374
Brachonidae, 378
Bracon, diet and life span, 616
Bracon hebetor, 616
  serinopae, 616
Braconidae, 387, 600, 639
  key to Nearctic subfamilies, 522
Braconinae, 522
Branchinae, 387

[1] Compiled by Gladys O. Visel.

Broom bruchid, identity of, 795
Bruchidae, 376, 860
Bruchidius, synonymic notes on, 795
Bruchidius ater, 795

4-C^{14}-cholesterol in American cockroach, 115
Cabbage butterfly, metamorphosis of cranial capsule, 519
Cabbage loopers, mass-rearing of, 178
Cactoblastis cactorum, 363
Caligo memnon, 87
Callibaetis sp., subimaginal cuticle of, 418
Camponotus pennsylvanicus, tracheal system, 336
Carabid beetle, secretion of salicylaldehyde by, 37
Cardiochiles californicus, 526
Cardiochiinae, 526
Carrot beetle, emergence pattern, 826
Catalpa sphinx, host selection in, 119
Catorama herbarium, in the United States, 280
pici, 280
Cecidomyiidae, 94, 561, 748
Centistes lituratus, 600
Cephenemyia, drinking by, 660
Cephenemyia apicata, 661
jellisoni, 661
Cerambycidae, 376
Ceratocystis ulmi, 764
Ceratomia catalpae, host selection in, 119
Ceratopogonidae, 185, 728
Cercopidae, 719
Chalcis divisa, 303
Chamaemyiidae, 376
Chaoborus astictopus, life history determination by insecticide, 816
Cheloninae, 387, 526
Chelonus texanus, 526
Chiracanthium inclusum, 657
Chloralictus inconspicuum, 349
pilosum, 349
Chloropidae, 376
Chrysis densa, 305
Chrysomelidae, 376
Cicadellidae, 202, 377
Cicurina arucata, 656
Citrus red mite, albinism in, 792
growth and multiplication of, 867
Cixiidae, 377
Clear Lake, insecticidal treatment of, 819
Clerada apicicornis, 700
Cleradini, 698
Cleridae, 244
Climacura (subgenus), 326
Clover seed midge, injury to red clover florets, 561
Clubiona abbotii, 659
Clubionidae, 657
Coccidae, 377
Coccinellidae, 174, 376
Cockroach, temperature and oxygen consumption of, 355
X-irradiation on embryos, 442
Cockroach ganglia, hyaluronic acid in, 182
Coeloides brunneri, embryology of, 639
Coleoptera, 18, 41, 103, 174, 244, 280, 306, 340, 376, 600, 669, 751, 764, 769, 795, 831, 860
Colias eurytheme, suppression of by Apanteles medicaginis, 358
Colletidae, 844
Cone-infesting moth, pest of Douglas-fir, 246
Coniferous seed, Leptoglossus pest of, 229
Coniopterygidae, 378
Conoderus amplicollis, 670
bellus, 670
falli, 670
lividus, 670
vespertinus, biology of, 669
vespertinus, oviposition of, 751
xysticus, 291
Conopidae, New World, 824
Contarinia oregonensis, 98
washingtonensis, infesting Douglas-fir, 94
Coreidae, 229
Corethra sp., 161
Corn earworm, histology and sperm transmission, 535
Cosmophorinae, 522
Cosmophorus pityphthori, 526
Cosmopolites sordidus, humidity behavior of, 41
Cotton field, spiders of Arkansas, 653
Cremnops californicus, 526
Croesia semipurpurana in Connecticut, 731
Cryptinae, 858
Cryptotermes brevis, 75
Ctenicera destructor, dispersion of, 340
destructor larvae, feeding on potatoes, 306
Culex pipiens pipiens, 161
pipiens quinquefasciatus, 620
quinquefasciatus, 560
quinquefastiatus, transmitting St. Louis encephalitis, 237
restuans, 161
tarsalis, 560
tarsalis, age structure, 527
tarsalis, biology of, 314
territans, 160
Culicella (subgenus) 328
Culicidae, 276, 314, 324, 409, 426, 798
Culicoides alachua, 187
chiopterus, 187, 728
dewulfi, 186
obsoletus, 728
obsoletus, species related to, 185
sanguisuga, 189
sanguisuga, populations of, 728
Culiseta, pupae of, 324
Culiseta (C.) alaskaensis, 328
(C.) impatiens, 329
(C.) incidens, 328
(C.) inornata, 329, 620
(Climacura) melanura, 327
(Culicella) minnesotae, 328
(Culicella) morsitans, 328
parodites, 324
(C.) particeps, 328
Curculionidae, 41, 376, 600, 831
proventricular armature of, 769
Cyclorrhaphan larval peripheral nervous system, 755
Cyclosa turbinata, 659
Cydnidae, 377
Cynipidae, 388

Dacnusa sp., 526
Dacnusinae, 387, 522
Dactynotus sonchellus, 559
Dasyneura leguminicola, injury to red clover florets, 561
Delphacidae, 330, 377
Dendroctonus pseudotsugae, 639
Dermanyssidae, 268, 632
Dermestes maculatus, 201
Diaeretus rapae, 676
Dialictus anomalum, 352
Diapriidae, 388
Diaspidae, 377
Dictyna segregata, 658
Dictynidae, 655
Dietary H^3-β-sitosterol, fate in house fly, 198
Dimarella, 810
angusta, 812
menkei, 814
psammophila, 814
tarsalis, 812
Dimarellini, of Mexico, 810
Diplazoninae, 387
Diplopoda, 448
Diptera, 1, 2, 94, 127, 185, 234, 252, 276, 314, 324, 376, 392, 409, 426, 454, 470, 561, 567, 624, 660, 728, 748, 798, 824, 878
Doryctinae, 522
Doryloxenus *dybasi*, 23
hirsutus, 23
ibadanicus, 23
tottenhami, 24
wasmanni, 24
Douglas-fir cones, Contarinia infesting, 94
Drosophila melanogaster, 475, 756
Drosophilidae, 392
Dryocoetes, bark beetles of, 103, 107
Dryocoetes affaber, 111
americanus, 104
autographus, 108
betulae, 109
caryi, 114
confusus, 110
granicollis, 111
piceae, 104
pubescens, 104
sechelti, 113
septentrionis, 104
Dyakana dissimilis, 700
Dylox, on alfalfa, 358
Dysticus marginalis, 460

Eciton burchelli foreli, 172
dulcius crassinode, 172
hamatum, 172
mexicanum panamense, 172
vagans mutatum, 172
Ecology of: Anarete forms, 748
predatory thrips, 709
Ecphylus sp., 522
Elachyleon, 815
punctipennis, 815
Elaphria grata, 536
Elateridae, 306, 340, 669, 751
Elasmosoma petulans, 526
Elm bark, responses of Scolytus to, 764
Embidopsocinae of United States, 25
Embidopsocus, 33
citrensis, 35
laticeps, 33
needhami, 36
Embryology of Coeloides brunneri, 639

Empoasca (Kybos), evolutionary outline of, 202
Empoasca adunca, 205
alaskana, 219
alberta, 216
albolinea, 221
alexanderae, 218
amicis, 219
andresia, 218
angustifoliae, 220
annella, 217
arizona, 221
atinca, 215
aureoviridis, 223
austriaca, 203
betulicola, 213
butleri, 215
carsona, 214
cascada, 222
chapingo, 222
clinata, 215
clypeata, 217
consecta, 221
copula, 218
crystola, 215
digita, 214
digitata, 203
ellisae, 214
excava, 205
exiguae, 220
fabae, distribution of eggs of, 737
fontana, 223
gelbata, 208
gribisa, 219
grosata, 208
hartzelli, 217
humilis, 218
improcera, 220
incida, 223
jacinta, 214
limpida, 203
livingstoni, 214
lucidae, 216
luda, 213
mesolinea, 214
mucronata, 203
obtusa, 205
occidens, 203
occidua, 220
osborni, 214
ovalis, 217
patula, 221
petaluma, 222
petiolaridis, 217
populi, 203
portola, 215
reddina, 222
rubrafascia, 205
rubrata, 218
rufescens, 203
salicis, 221
saluta, 214
smaragdula, 213
sprita, 219
strangula, 218
strigilifera, 203
strobli, 203
taunica, 203
trifasciata, 219
velutina, 221
virgator, 213
viridipes, 213
yukonensis, 216
ziona, 223
Encarsia formosa, 676
Encyrtidae, 377
Eotetranychus sexmaculatus, 710
Ephedrus nitidus, 526
Ephemerella, revision of, 583
Ephemerella carolina, 598
deficiens, 587
frisoni, 592
levis, 591
micheneri, 592
molita, 598
serrata, 597
serratoides, 596
sordida, 591
spiculosa, 598
teresa, 595
tibialis, 594
velmae, 591
Ephemerellidae, 583
Ephemeroptera, 418, 583
Ephydridae, 376
Epilachna varivestis, host selection in, 174
Erigone autumnalis, 658
Erigonidae, 655
Erilophodes, revision of, 835
Erilophodes colorata, 839
spinosa, 841
toddi, 842
Eriophyes laevis, 156
Eriophyid mite in Texas, 879
Eriplanus hemipterus, 858
Erlacda arhapaeoides, 700
Estigmene acrea, 362
Etiella zinckenella, 362
Eubadizon sp., 522
Eucharitidae, 378
Eucosmetus albomarginatus, 700
insignis, 700
Eulonchopria, bee genus, 844
Eulonchopria *oaxacana*, 848
psaenythioides, 845
punctatissima, 847
Eulophidae, 378, 388
Eupachylomma rileyi, 526
Eupagoderes lucanus, 770
Eupelmidae, 378
Euphorinae, 387, 526
European chafer development, 239
European corn borer, neuroendocrine complex of, 723
spermatogenesis and diapause in, 253
Eurytomidae, 378
Evylaeus foxii, 349
Exidechthis canescens, 296
Falcolipeurus assessor, 639
josephi, 634
marginalis, 639
quadriguttatus, 638
Falcomenopon, subgenus raised to generic rank, 379
Falconiformes, Kurodaia from, 379
Feltria, studies on, 488
Feltria (F.) *cataphracta*, 497
(F.) cornuta *americana*, 491
(F.) *cornutopsis*, 491
denticulata, 499
(F.) *echinopalpis*, 497
(F.) *faceta*, 495
(F.) *gennada*, 493
minuta, 499
(F.) *ozarkensis*, 495
(*Neofeltria*) *similis*, 489
subterranea, 497, 536
(*Neofeltria*) *virginiensis*, 488
Feltriidae, 488
Filistatidae, 655
Fireflies, temperature and flashing intervals in, 716
Formicidae, 336, 378, 678
Frankliniella musaeperda, 664
Freeze drying of spiders and immature insects, 138
Frontinella communis, 655
Galumna sp., 406
Geocoris punctipes, 657
Geometridae, 835
German cockroach, effects of ionizing radiation on, 256
mendelian variant in, 718
Glytholaspis confusa, 632
Gnaphosidae, 656
Gonipterus gibberus, 770
Graphoderes bilineatus, 460
zonatus, 460
Grassiella rettenmeyeri, 174
Green peach aphid, Aphidius parasite of, 648
Gryllidae, 772
Grylloblatta barberi, geographical distribution, 53
bifratrilecta, 59
campodeiformis, 65
campodeiformis occidentalis, 67
chandleri, 57
chirurgica, 65
gurneyi, 62
rothi, 65
sculleni, 55
washoa, 65
Grylloblattidae, new species, 53
Haemagogus equinus, 620
Hahniidae, 656
Halictidae, 348
Halictinae, tibial spurs of, 348
Halictus, 351
confusus, 349
ligatus, 349
parallelus, 352
rubicundus, 349
Harlequin bug, sex ratio of, 712
Helcon pedalis, 526
Helconinae, 526
Heliodinidae, 378
Heliothis subflexa, 536
zea, 359, 657
Heliothis zea, histology and sperm transmission, 535
Helobdella stagnalis, predation by, 252
Heloridae, 388
Hemihalictus lustrans, 352
Hemiptera, 202, 229, 261, 377, 406, 687, 693, 712, 804, 829, 865
Hemitarsonemus latus, 154
tepidariorum, 154
Hemiteles graculus, biology of, 857
Hentzia palmarum, 657
Hesperophylax sp., 295
Heteroblissus anomilis, 698
Heteroptera, 693
Hippelates collusor, 1
Hippodamia convergens, 657
Histiogaster, and pine reproduction weevils, 682
Histiogaster anops, 683
Homoptera, 149, 330, 334, 377, 556, 648, 719

Honey bee, egg weight in, 473
responses of colonies to queens, 372
Host-parasite relation among insects, 386
Hosts and parasites, coexistence of, 676
House cricket, rearing on commercial feed, 250
House fly, exposure to Bacillus thuringiensis, 878
sterol antagonists and reproduction, 124
Hyaluronic acid in cockroach ganglia, 182
Hydaticus transversalis, 460
Hylobius pales, 682
Hylochelidon ariel, 577
Hymenoptera, 336, 348, 377, 522, 573, 600, 639, 648, 678, 844, 857
Hymenoptera, muscles of, 295
Hypera meles, 859
nigirostris, 859
postica, parasitized by Hemiteles, 857
punctata, 859
Hypolithus bicolor, dispersion of, 340
Hypolithus bicolor larvae, feeding on potatoes, 306

Icerya purchasi, 710
Ichneumonidae, 387, 857
Ichneutinae, 526
Idiasta sp., 526
Insecticidal treatment of Clear Lake, 819
Ischnopteryx indistincta, 842
Ischnorhynchinae, 694, 701
Ixodoidea, 577

Karyotypes, mosquito, study of, 160
Kleidocerys dimidiatus, 696
franciscanus, 696
fuscomaculatus, 696
modestus, 696
obovatus, 696
ovalis, 696
resedae geminatus, 696
suffusus, 696
virescens, 696
Kurodaia, from the Falconiformes, 379
Strigiformes parasite, 849
Kurodaia *acadicae*, 851
cheelae, 382, 855
crassiceps, 853
cryptostigmatia, 850
deignani, 851
flammei, 851
fulvofasciata, 381, 855
haliaëti, 380, 856
koepckei, 384
longipes, 853
macrocybe, 382, 856
macrura, 384
magna, 853
painei, 851
panjabensis, 855
platyclypeatum, 850
subpachygaster, 853

Labidus praedator, 174
Laelaptidae, 632
Laphygma frugiperda, 536
Large milkweed bug, feeding behavior, 224
Lasioglossum (Chloralictus) inconspicuum, 349
(Sphecodogastra) texana, 349
zonulum, 352
Laspeyresia anaranjada, distribution of, 667
ingens, occurrence of, 667
Latrodectus mactans, 655
Latronister rugosus, 173
Leafhopper, evolutionary outline of, 202
Leech, predation by, 252
Lepidoptera, 87, 119, 122, 378, 476, 500, 741, 835
Leptogaster annulatus, feeding and mating of, 234
atriodorsalis, 235
badius, 235
flavipes, 235
incisuralis, 235
pictipes, 235
Leptoglossus gonagra, 229
occidentalis, pest of coniferous seed, 229
oppositus, 229
phyllopus, 229
zonatus, 229
Leptomastix dactylopii, 297
Lethocerus, review of North and Central American, 261
Lethocerus (L.) americanus, 263
(L.) angustipes, 267
(L.) annulipes, 264
(L.) colossicus, 265
(L.) delpontei, 265
(Benacus) griseus, 267
(L.) maximus, 267
(L.) medius, 264
(L.) truxali, 267
(L.) uhleri, 263
Ligyrocoris abdominalis, 702
depictus, 702
diffusus, 702
latimarginatus, 701
obscurus, 702
sylvestris, 701
Ligyrus gibbosus, emergence pattern, 826
Limacodidae, 87
Linyphiidae, 655
Lipeurus polybori, 634
Liposcelidae, 25, 378
Listroderes obliquus, 770
Lobopoda subcuneata, 290
Lycosa helluo, 659
rabida, 656
Lycosidae, 656
Lygaeidae, 377, 406, 829
Lygaeidae, stridulatory mechanisms of, 693
Lygus hesperus, life history of, 865
lineolaris, 657
lineolaris, ecology of plant resistance to, 69

Macrocentrinae, 387, 526
Macrocentrus sp., 526
Macrocheles glaber, 629
matrius, 630
medarius, 631
muscaedomesticae, 629
robustulus, 631
subbadius, 630
Macrosiphum carpinicolens, 559
Mallophaga, 849
Mallophagan, new, from Polyborus, 634
Manure, Acarina in, 628
Mayfly, subimaginal cuticle of, 418
Mecoptera, 142
Megoura, 402
lespedezae, 402
Megouroparsus, related to Microparsus and Megoura, 401
Megouroparsus kislankoi, 403
tephrosiae, 402
Melyridae, 376
Mendelian color variant in cockroach, 718
Menoponidae, 849
Meriola decepta, 657
Mesochorinae, 387
Metaphidippus galathea, 657
protervus, 657
Meteorus vulgaris, 522
Methods and Procedures: Acarina in manure, 628
Acheta, rearing on commercial feed, 250
Aedes taxonomy, 799
Aeneolamia, exposure of eggs, 719
American cockroach, 4-C^{14}- cholesterol in, 115
Anarete ecology, 748
Anopheles freeborni, morphology, 277
banana flower thrips biology, 664
banana pests, rearing, 87
Banasa, rearing of, 688
bark beetles of Dryocoetes, 104
black grama grass, insects associated with, 375
Blattella germanica, effects of ionizing radiation on, 256
boll weevil fatty acids, 612
Bracon, diet and life span, 616
cabbage loopers, rearing, 179
Camponotus tracheal system, 337
Cephenemyia, drinking by, 661
Ceratomia, host selection in, 119
Chaoborus life history, 816
citrus red mite albinism, 793
citrus red mite growth and multiplication, 868
Clear Lake treatment, 820
clover seed midge injury, 562
cockroach embryos, X-irradiation on, 443
cockroach ganglia, hyaluronic acid in, 182
Coeloides embryology, 639
Conoderus vespertinus biology, 669
Contarinia in Douglas-fir, 94
Cosmopolites, humidity behavior of, 41
Culex age structure, 528
Culex biology, 314
Culiseta pupae, 324
Curculionidae proventricular armature, 769
Cyclorrhaphan larval peripheral nervous system, 755
Elateridae larvae feeding on potatoes, 307
Empoasca eggs on Solanum, 737
Epilachna bioassays and host selection, 175
eriophyid mites in Texas, 879
fatty acids in Nephila, 345
fireflies, temperature and flashing intervals in, 716

freeze-drying of spiders and immature insects, 138
geographical distribution of Gryllobla ttidae, 53
German cockroach, mendelian variant in, 718
Halictinae tibial spurs, 348
harlequin bug, sex ratio of, 713
Histiogaster, biology of, 683
honey bee egg weight, 473
house fly, dietary H^3-β-sitosterol in, 199
house fly exposure to Bacillus, 87
Hymenoptera muscles, 296
insect tissue survival after radiation, 720
Lygus, ecology of plant resistance to, 69
Lygus, life history, 865
mayfly subimaginal cuticle, 419
Microctonus bionomics, 601
mosquito diapause, 410
mosquito egg microorganisms, 560
mosquito karyotypes, study of, 160
mosquitoes, floodwater, local distribution of eggs, 427
oak leaf tier, 741
Odontoloxozus longicornis, life history and immature stages, 454
Oncopeltus, feeding behavior of, 224
Ostrinia, neuroendocrine complex of, 723
Ostrinia nubilalis, spermatogenesis and diapause in, 253
Pachydesmus repugnatorial glands, 451
Panorpa life history, 142
parasite and host coexistence, 676
Periplaneta americana, temperature and oxygen consumption of, 355
Phlebotomus, morphology of, 567
Pieris brassicae musculature, 500
Pieris rapae, photoperiod effects in, 292
Plagiognathus biology, 805
predation by Helobdella on Tendipes, 252
Reticulitermes, sensory pegs on, 877
St. Louis encephalitis transmitted by Culex, 237
Scolytus responses to elm bark, 764
Sitona larval feeding habits, 831
Sitona bionomics, 601
species related to Culicoides obsoletus, 185
sterol antagonists in house fly reproduction, 124
termite feeding relationships with radioisotopes, 77
termites, nutrition of, 704, 707
Tetranychus morphology, 733
tobacco wireworm oviposition, 751
Trichoplusia ni biology, 476
Virus Y transmission by Myzus, 335
Metopiinae, 387
Metrarga nuda, 696
Mexican bean beetle, host selection in, 174
book beetle, in the United States, 280
Microctonus sitonae, bionomics of, 600
Microgasterinae, 387, 526
Microparsus, 402
Microplitis montanus, 526
Micropolemon planicollis, 24
pusillus, 24
tiro, 24
Milichiella lacteipennis, amines as attractants for, 1
Milichiidae, 1
Milkweed bug, growth of, 406
Mimetidae, 656
Mimocete liberiensis, 24
Mirax lithocolletidus, 526
Miridae, 377, 804, 865
Misumenoides aleatorius, 659
Misumenops celer, 659
oblongus, 657
Mites, amino acids in, 406
biology of Histiogaster, 682
Mordellidae, 376
Morphology of: Oecanthus, 782
Phlebotomus, 567
Tetranychus atlanticus, 733
Trichobius, 2, 127
Mosquito eggs, microorganisms from, 559
karyotypes, study of, 160
Mosquitoes, aedine, diapause in, 409
floodwater, local distribution of eggs, 426
gonads of immature, 619
transmitting St. Louis encephalitis, 237
Murgantia histrionica, 712
Musca domestica, 124, 199, 878
domestica vicina, 201
Mutillidae, 378
Mycodrosophila, revision, 392
Mycodrosophila *brunnescens*, 399
claytonae, 394
dimidiata, 393
elegans, 398
neoprojectans, 395
nigropleura, 398
projectans, 395
pseudoprojectans, 395
stalkeri, 393
Myodochini, 700
Myrmeleontidae, 810
Myzinum carolinianum collare, 305
Myzus persicae, 676
persicae, Aphidius parasite of, 648
persicae, transmission of virus Y, 334

Nabidae, 377
Navarrus phaeophilus, 700
Necrobia rufipes, sex recognition in, 244
Neivamyrmex fallax, 289
gibbatus, 174
Neoacaridae, 481
Neoacarus *expansus*, 481
motasi, 483
ozarkensis, 485
similis, 483
Neoamphorophora, 402
tephrosiae, 401
Neodesmodes arana, 843
semialbata, 842
Neodiprion fulviceps, 296
Neofeltria, subg., 488
Neoneurinae, 526
Neopamphantus calvinoi, 698
maculatus, 698
Neoscona arabesca, 655
benjamina, 655
Nephila clavipes, analysis of fatty acids in, 345
Neriidae, 454, 470
Nesticidae, 655
Neuroendocrine complex of corn borer, 723
Neuroptera, 378, 810
Noctuidae, 476
Nomamyrmex esenbecki crassicornis, 174
Noropsis hieroglyphica, 536
Nymphalidae, 87
Nysius californicus, 696

Oak leaf tier in Connecticut, 741
Obituary: John Russell Malloch, 565
Oceanides oresitrophus, 696
montivagus, 701
nimbatus, 696
planicollis, 696
usingeri, 696
Odontobracon sp., 522
Odontoloxozus longicornis, distribution and ecology, 470
longicornis, life history and immature stages, 454
Oecanthinae, 772
Oecanthus argentinus, 773
celerinictus, 773
laricis, 773
nigricornis, taxonomy and calling songs of, 772
pini, 774
quadripunctatus, 773
Oestridae, 660
Oncopeltus fasciatus, 224
fasciatus, bacteria of, 829
fasciatus, growth of, 406
Ooencyrtus submetallicus, 92
Opercullariella parasitica, 460
sp., 459
Ophioninae, 387
Ophryastes shufeldti, 770
Opiinae, 387, 526
Opius sp., 522
Opsiphanea tamarindi, 91
Opuntia occidentalis, 454
Oribatidae, 632
Orsillinae, new genus of, 693
Orthopodomyia alba, 620
signifera, 620
Orthoptera, 772
Ostrinia nubilalis, neuroencodrine complex of, 723
nubilalis, spermatogenesis and diapause in, 253
Otidae, 878
Otodectes cynotis, 406
Oxyopes aglossus, 656
salticus, 656
Oxyopidae, 656

Pachydesmus crassicutus, repugnatorial glands of, 448
Pachylaelaptidae, 632
Pachylobius picivorus, 682
Pactye ciconia, 700
Pamphantinae, 698, 701
Pamphantus atrohumeralis, 698
elegantulus, 698
mimeticus, 698
pellucidus, 698
vittatus, 698
Pangoniinae, 625
Panonychus citri, 792
citri, growth and multiplication of, 867

Panorpa nuptialis, life history of, 142
Panorpidae, 142
Paralictus spp., 349
Parapamphantus braziliensis, 698
Parasites and hosts, coexistence of, 676
Parasitidae, 632
Paratiphia *belfragei*, 575
ephippiata, 574
insueta, 576
Pardosa lapidicina, 656
milvina, 656
pauxilla, 659
saxatilis, 659
Parlatoria pergandii, 709
Paxylommatinae, 526
Pegestenus, 22
nigericnsis, 23
soudanicus, 23
Pellonyssus, 268
Pentatomidae, 377, 687, 712
Peridroma saucia, 363, 536
Perilitus sp., 522
Periplaneta americana, 115, 182
americana, temperature and oxygen consumption of, 355
Peruda, 694
Peucetia viridans, 656
Phidippus audax, 657
Phlaeothripidae, 378
Phlebotamus papatasi, morphologic study of, 567
Phlyctaenia ferrugalis, 362
Phoridae, 376
Phormia regina, 756
Phosdrin, on alfalfa, 358
Photinus pyralis, temperature and flashing intervals in, 716
Phycitidae, 378
Phyllocoptes didelphis, 154
Physconops *atrofemorus*, 824
bahamensis, 824
Pieridae, 500
Pieris brassicae, metamorphosis of cranial capsule, 510
brassicae, musclature of, 500
rapae, photoperiod effects in, 292
Pine reproduction weevil, association with Histiogaster, 682
Pine seedworm, distribution of, 667
Pisauridae, 656
Plagiognathus chrysanthemi, biology of, 804
Plastoceridae, 376
Platynota stultana, 362
Pogostenus, 21
mirabilis, 22
morio, 22
Polyborus, new mallophagan from, 634
Potato leafhopper, distribution of eggs of, 737
Potatoes, feeding of Elateridae larvae on, 306
Primierus indicus, 698
Prodenia latifascia, 536
ornithogalli, 363, 536
Prosomoeus brunneus, 698
Protoparce cingulata, 363
quinquemaculata, 362
sexta, 363
Protopulvinaria pyriformis, 710
Pseudaletia unipuncta, 536
Pseudocnemodus canadensis, 700
Pseudosinella violenta, 291
Psocoptera, 25, 378
Psorophora ciliata, 431
confinnis, 431
cyanescens, 431
discolor, 431
ferox, 434
horrida, 431
howardii, 431
sp., 427
varipes, 431
Psychodidae, 567
Psyllidae, 377
Pterolichidae, 789
Pteromalidae, 378, 387
Pteronyssus, from woodpeckers, 789
Pteronyssus *centurus*, 790
Pygostenini, new, 18
Pygostolus falcatus, 605

Radiation, survival of insect tissues following, 720
Radioisotopes, termite feeding relationships, 74
Red-banded leaf roller, parasitism of, 564
Red clover, clover seed midge injury, 561
Repugnatorial glands of Pachydesmus, 448
Reticulitermes flavipes, sensory pegs on, 874
flavipes, sterilization of, 703, 706
Rhogadinae, 387
Rhopalidae, 377
Rhyparochrominae, 701
Rogadinae, 522
Rogas sp., 522

St. Louis encephalitis, transmission by Culex, 237
Salicylaldehyde, secretion of by beetle, 37
Salticidae, 657
Sarcophaga bullata, 756
Satula, 556
brachychaeta, 557
Scelionidae, 378
Scenopinidae, 376
Schizocosa avida, 659
Scolytidae, 103, 764
Scolytus multistriatus, behavioral responses of, 764
Scioptera albipes, 878
demonstrans, 878
dubiosa, 878
importans, note on, 878
Serratella, subgenus, 583
Sibine apicalis, 92
Sinomegoura, 402
Sitona, larval feeding habits, 831
Sitona cylindricollis, 608, 831
hispidula, 608, 831
lepidus, 608
scissifrons, bionomics of, 600
Sitotroga cerealella, 360
Smaller European elm bark beetle, behavioral responses of, 764
Sogata cubana, 330
furcifera, 330
orizicola, reproductive system and mating behavior, 330
Solanum, eggs of Empoasca on, 737
Soybeans, Tetranychus feeding on, 773
Spathiinae, 522
Spathius brunneri, 526
Sphaerobius insignis, 700
Sphecidae, 378
Sphecodes, 350
Sphecodogastra texana, 349
Sphingidae, 119
Spiders, freeze drying of, 138
of Arkansas cotton, 653
Spodoptera exigua, 363
Staphylinidae, 18
Stator, revision of, 860
Stator *beali*, 861
limbatus, 861
pruinosus, 862
pythonicus, 864
sordidus, 863
subaeneus, 865
Steatonyssus, North American, 268
Steatonyssus *antrozoi*, 269
ceratognathus, 274
cmarginatus, 270
furmani, 274
hipposideros, 269
joaquimi, 269
murinus, 269
musculi, 269
occidentalis, 272
spinosus, 269
Steneotarsonemus fulgens, 154
nitidus, 157
pallidus, 154
Streblidae, 2, 127
Stylogaster *amazonasi*, 825
elongata, 825
Stylops pacifica, 295
Sweetclover, Sitona larval habits, 831

Tabanidae, in the Mississippi Delta, 624
Tachinidae, 376
Tachyura dolosa, 291
Taeniothrips infesting Amaryllidaceae, 399
Tarnished plant bug, ecology of plant resistance to, 69
Tarsonemidae, social parasitism in, 153
Tendipedidae, 252
Tendipes plumosus, predation by Helobdella, 252
Tenebrionidae, 376
Tephritidae, 377
Termite, feeding relationships with radioisotopes, 74
nutritional requirements, 703, 706
sensory pegs on, 874
Tethinidae, 377
Tetragnatha laboriosa, 655
Tetranychus atlanticus, morphology of, 733
telarius, 406
Tetrastichus gigas, 296
Thecesternus humeralis, 770
Theridiidae, 655
Theridion australe, 658
Theridula opulenta, 655
Thomisidae, 657
Thripidae, 378, 399, 664
Thrips, studies on Aleurodothrips, 709
Thysanoptera, 378, 399, 664
Thysanura with army ants, behavior of, 170
Tingidae, 377
Tiphiidae, 378, 573
Tobacco wireworm, oviposition of, 751
Tominotus unisetosus, 291
Tortricidae, 741
Torymidae, 378
Toxorhynchites rutilus septentrionalis, 620

Tree crickets, taxonomy and calling songs of, 772
Trialeurodes, hosts and distribution of, 149
Trialeurodes abutilonea, 149
floridensis, 150
notata, 151
packardi, 151
vaporariorum, 151, 676
Tribolium castaneum, antennapedia in, 123
Trichatelura borgmeieri, 173
manni, 172
Trichobius corynorhini, morphology of, 2, 127
major, morphology of, 2, 127
sphaerenotus, morphology of, 2, 127
Trichocentrus, 694
Trichogramma minutum, parasite of Argyrotaenia, 564
retorridum, 360
semifumatum, ecology of, 358
Trichoplusia ni, 178, 362
ni, adult fecundity and longevity, 476
Trioxys utilis, 526
Trombidiidae, 632
Typhloponemys acarinella, 18
alternans, 18
alzadae, 19
castopi, 20
hirsutopudenda, 20
horni, 18
lamottei, 19
nigeriensis, 20
paenesplendida, 18
punctata, 20
uncinata, 20

Uloboridae, 655
Uranotaenia barnesi, 86
fimbriata, 86
gerdae, new species of tibialis group, 82
neotibialis, 86
setosa, 86
subtibioclada, 86
tibioclada, 86
Uropodidae, 632

Vanessa cardui, 362
carye, 362
Vatesus panamensis, 173
Veromessor, new, and related species, 678
Veromessor lariversi, 680
lobognathus, 680
pergandei, 681
smithi, 678
Vipio sp., 522
Virus Y, transmission by Myzus persicae, 334
Volsellacarus, 487
ovalis, 487

Water mites, phreaticolous, 481, 488
Woodpeckers, Pteronyssus from, 789
Wyeomyia smithii, 161

X-irradiation, effects on cockroach embryos, 442
Xyela radiatae, 296
Xylechinus americanus, 114
Xyonysius, 702
Xysticus funestus, 657

Zeridoneus costalis, 701
Zodion analis, 825
Zoraptera, 744
Zorotypus hubbardi, distribution of, 744

ANNALS *of the*

ENTOMOLOGICAL SOCIETY OF AMERICA

Volume 56—1963

Published by the
ENTOMOLOGICAL SOCIETY OF AMERICA

ANNALS OF THE ENTOMOLOGICAL SOCIETY OF AMERICA

Published by the
ENTOMOLOGICAL SOCIETY OF AMERICA
at
531 W. Pratt Street, Baltimore 1, Md.

R. H. NELSON, *Executive Secretary*
RALPH W. BUNN, *Managing Editor*
4603 Calvert Road, College Park, Maryland, 20740

ROLAND F. HUSSEY, *Editor*
Department of Biology, University of Florida, Gainesville, Florida

EDITORIAL BOARD
F. N. YOUNG, *Chairman*, Bloomington, Ind. (A, 1963)
P. D. HURD, Berkeley, Calif. (A, 1964)
L. E. ROZEBOOM, Baltimore, Md. (D, 1965)
H. C. COPPEL, Madison, Wis. (C, 1966)
J. J. CORRIGAN, Boston, Mass. (B, 1967)

A bimonthly journal published on the 15th of January, March, May, July, September, November, devoted to the interest of classical entomology. Authors are entirely responsible for statements in the ANNALS, whether of fact or opinion.

TERMS OF SUBSCRIPTION. Non-members in North America and U. S. Possessions—$20.00 per year; elsewhere—$20.00 plus $1.00 postage. Single Copies $4.00. **Deliveries overseas** are not guaranteed and foreign mailings are made at the subscriber's risk.

A *single order* for the ANNALS OF THE ENTOMOLOGICAL SOCIETY OF AMERICA and the JOURNAL OF ECONOMIC ENTOMOLOGY, *if sent to the same address,* may be obtained at a **COMBINATION PRICE** of $35.00 per year, domestic; $37.00 foreign.

LOST NUMBERS. Missing numbers cannot be supplied free of charge unless notice is received within 60 days after the appearance of issues concerned.

BACK NUMBERS. The Executive Secretary will be glad to quote prices upon request.

REPRINTS. No gratis copies are supplied. A schedule of prices which will apply to orders received before the ANNALS is printed, and an order form are sent with proof. For price schedule, see BULLETIN OF THE ENTOMOLOGICAL SOCIETY OF AMERICA, Volume 7, No. 1, March, 1961, or page ii of Vol. 54(1) of the ANNALS.

BUSINESS COMMUNICATIONS of the Society and **SUBSCRIPTION AND MATTERS PERTAINING TO ADVERTISMENTS** should be sent to the Executive Secretary, Entomological Society of America, 4603 Calvert Road, College Park, Md. Changes of address must reach the office of the Executive Secretary 5 days prior to the month of issue to be effective for that month. Members should make use of the postal regulations which provide for forwarding of second class mail if postage upon delivery is guaranteed.

ALL MANUSCRIPTS and other copy for the ANNALS should be sent to the Executive Secretary. Prompt publication of acceptable matter may be secured by payment of the cost of printing and mailing ($35.00 per page with additional charge for excessive tabular matter). Before preparing manuscripts for publication in the ANNALS, authors are urged to consult the Publication Policies and Manuscript Rules and Suggestions given in the BULLETIN OF THE ENTOMOLOGICAL SOCIETY OF AMERICA Vol. 7 (2): 59–62, June 1961.

PAGE CHARGES. All papers of more than one printed page will be charged at the rate of $20.00 per page, partial pages proportionately. See BULLETIN OF THE ENTOMOLOGICAL SOCIETY OF AMERICA Vol. 8(4): 209.

ENTOMOLOGICAL SOCIETY OF AMERICA

OFFICERS FOR 1963

President—EDWARD A. STEINHAUS, Berkeley, California
President-Elect—CARROLL N. SMITH, Gainesville, Florida
Executive Secretary—R. H. NELSON, 4603 Calvert Road, College Park, Maryland

GOVERNING BOARD*

EDWARD A. STEINHAUS, Berkeley, California (1964)

R. L. BEARD, New Haven, Conn. (B, 1963)
C. M. BECKHAM, Experiment, Georgia (Southeastern, 1965)
W. J. BROWN, Ottawa, Ontario (A, 1963)
R. H. DAVIDSON, Columbus, Ohio (North Central, 1963)
JACK E. FAHEY, Vincennes, Ind. (F, 1964)
ROBERT GLEN, Ottawa, Ontario (1963)
O. H. GRAHAM, Kerrville, Texas (Southwestern, 1964)
G. D. JONES, Raleigh, N. C. (E, 1965)
H. C. KNUTSON, Manhattan, Kansas (D, 1965)
R. H. NELSON, College Park, Md. (non-voting)
P. O. RITCHER, Corvallis, Oregon (Pacific, 1965)
C. N. SMITH, Gainesville, Florida (1965)
EDWARD H. SMITH, Geneva, New York (Eastern, 1964)
RAY F. SMITH, Berkeley, California (C, 1964)

*Section or Branch represented and year term expires shown in parentheses.

BRANCH OFFICERS

Branch Chairmen

C. L. HOVEY—W. Springfield, Mass. (Eastern)
G. E. GUYER—E. Lansing, Mich. (North Central)
H. T. REYNOLDS—Riverside, Calif. (Pacific)
W. C. NETTLES—Clemson, S. C. (Southeastern)
D. F. MARTIN—Brownsville, Tex. (Southwestern)

Branch Chairmen-Elect

B. B. PEPPER—New Brunswick, N. J. (Eastern)
J. V. OSMUN—Lafayette, Ind. (North Central)
R. W. HARPER—Sacramento, Calif. (Pacific)
L. D. NEWSOM—Baton Rouge, La. (Southeastern)
H. E. MEADOWS—Houston, Tex. (Southwestern)

Branch Secretaries

J. P. JOHNSON—New Haven, Conn. (Eastern)
J. G. RODRIGUEZ—Lexington, Ky. (North Central)
WM. W. ALLEN—Berkeley, Calif. (Pacific)
S. R. MORRIS—New Orleans, La. (Southeastern)
W. S. MCGREGOR—Lake Jackson, Tex. (Southwestern)

AUTHOR INDEX TO VOLUME—56

ABUL-HAB, JALIL K.—Variations in Some Morphological Features of Larvae of *Anopheles freeborni* (Diptera, Culicidae) from the Type Locality (May) 276

AGEE, HERNDON R., AND F. G. HOLDAWAY—The Morphology and Histology of Red Clover Florets Injured by the Clover Seed Midge, *Dasyneura leguminicola* (Diptera: Cecidomyiidae) (July) 561

AL-HAFIDH, RAFI, see DAVID PIMENTEL (Sept.) 676

ALLEN, RICHARD K., AND GEORGE F. EDMUNDS, JR.—A Revision of the Genus Ephemerella (Ephemeroptera: Ephemerellidae) VI. The Subgenus *Seretella* in North America (Sept.) 583

ALLEN, H. W.—Three New Species of *Paratiphia* (Hymenoptera: Tiphiidae) from the Southwestern United States (Sept.) 573

ANDERSON, D. M., see G. R. MANGLITZ (Nov.) 831

ASHHURST, DOREEN E., AND NARAYAN G. PATEL—Hyaluronic Acid in Cockroach Ganglia (March) 182

ASHLOCK, PETER D., AND JOHN D. LATTIN—Stridulatory Mechanisms in the Lygaeidae, with a New American Genus of Orsillinae (Hemiptera: Heteroptera) (Sept.) 693

AXTELL, RICHARD C.—Acarina Occurring in Domestic Animal Manure (Sept.) 628

BAKER, J. E., AND W. A. CONNELL—The Morphology of the Mouthparts of *Tetranychus atlanticus* and Observations on Feeding by this Mite on Soybeans (Nov.) 733

BALDUF, W. V.—A Distinct Type of Host-Parasite Relation among Insects (May) 386

BARKER, ROY J., ANN MAYER, AND CHARLES F. COHEN—Photoperiod Effects in *Pieris rapae* (May) 292

BARR, A. RALPH—Pupae of the Genus *Culiseta* Felt. II. Descriptions and a Key to the North American Species. (Diptera: Culicidae) (May) 324

BECK, STANLEY D., see ELMER J. CLOUTIER (May) 253

BECK, STANLEY D., see DOROTHY FEIR (March) 224

BECK, S. D., see S. R. LOSCHIAVO (Nov.) 764

BECK, STANLEY D., see D. G. R. MCLEOD (Nov.) 723

BECKWITH, R. C.—An Oak Leaf Tier, *Croesia semipurpurana* (Lepidoptera: Tortricidae) in Connecticut (Nov.) 741

BEER, JAMES R., see ROGER D. PRICE (May) 379

BEER, JAMES R., see ROGER D. PRICE (Nov.) 849

BEER, ROBERT E.—Social Parasitism in the Tarsonemidae, with Description of a New Species of Tarsonemid Mite Involved (March) 153

BELL, A. E., see DUWAYNE C. ENGLERT (Sci. Note, Jan.) 123

BELLAMY, R. E., AND W. C. REEVES—The Winter Biology of *Culex tarsalis* (Diptera: Culicidae) in Kern County, California (May) 314

BLUM, MURRAY S.—J. Porter Woodring and E. N. Lambremont (May) 345

BLUM, M. S., see E. N. LAMBREMONT (Sept.) 612

BLUM, M. S., see J. P. WOODRING (March) 138

BLUM, M. S., see J. P. WOODRING (July) 448

BOOK REVIEWS 125, 126, 408, 627, 721

BOWEN, WILLIAM, see VERNON M. STERN (May) 358

BREADY, J. K., AND S. FRIEDMAN—The Nutritional Requirements of Termites in Axenic Cultures. 1. Sterilization of Eggs of *Reticulitermes flavipes* and the Requirements of First-Instar Nymphs (Sept.) 703

BREADY, J. K., AND S. FRIEDMAN—The Nutritional Requirements of Termites in Axenic Cultures. 2. Studies on the Effectiveness of Antibiotics in the Sterilization of Workers of *Reticulitermes flavipes* (Sept.) 706

BRELAND, OSMOND J., see MICHAEL E. WARREN (Sept.) 619

BRIGHT, DONALD E., JR.—Bark Beetles of the Genus *Dryocoetes* (Coleoptera: Scolytidae) in North America (Jan.) 103

BURDEN, G. S., see B. J. SMITTLE (Sci. Note, Sept.) 718

BURDICK, DONALD J., AND ERVIN H. KARDOS—The Age Structure of Fall, Winter, and Spring Populations of *Culex tarsalis* in Kern County, California (July) 527

BURRAGE, R. H.—Seasonal Feeding of Larvae of *Ctenicera destructor* and *Hypolithus bicolor* (Coleoptera: Elateridae) on Potatoes Placed in the Field at Weekly Intervals (May) 306

BUTLER, JOHN, AND ROBERT J. TONN—Free Amino Acids in Three Species of Mites (Sci. Note, May) 406

BYERS, GEORGE W.—The Life History of *Panorpa nuptialis* (Mecoptera: Panorpidae) (March) 142

CALLAHAN, PHILIP S., AND THOMAS CASCIO—Histology of the Reproductive Tracts and Transmission of Sperm in the Corn Earworm, *Heliothis zea* (July) 535

CAMRAS, SIDNEY—Notes on Some New World Conopidae (Diptera) (Nov.) 824

CASCIO, THOMAS, see PHILIP S. CALLAHAN (July) 535

CATTS, ELMER P., AND RICHARD GARCIA—Drinking by Adult *Cephenemyia* (Diptera: Oestridae) (Sept.) 660

CHAMBERS, D. L., see R. E. MONROE (Sci. Note, Jan.) 124

CHAO, JOWETT, GEORGE A. WISTREICH, AND JOSEPH MOORE—Failure to Isolate Microorganisms from Within Mosquito Eggs (July) 559

CHIANG, H. C.—Ecology of Insect Swarms. IV. Comparison of the Swarms of Two Closely Related Midges, *Anarete johnsoni* and *A.* sp. near *johnsoni* (Diptera: Cecidomyiidae) (Nov.) 748

CL[illegible]V, D. W., see ALLEN G. SELHIME (Sept.) 709

CLARK, ARNOLD M.—The Influence of Diet upon the Adult Life Span of Two Species of *Bracon* (Sept.) 616

CLARK, EDWIN C., JOHN A. SCHENK AND DARRELL L. WILLIAMSON—The Cone-Infesting Moth, *Barbara colfaxiana*, as a Pest of Douglas-fir in Northern Idaho (March) 246

CLOUTIER, ELMER J., AND STANLEY D. BECK—Spermatogenesis and Diapause in the European Corn Borer, *Ostrinia nubilalis* (May) 253

COCHRAN, D. G., see MARY H. ROSS (May) 256

COHEN, CHARLES F., see ROY J. BARKER (May) 292

COLE, ARTHUR C.—A New Species of *Veromessor* from the Nevada Test Site and Notes on Related Species (Hymenoptera: Formicidae) (Sept.) 678

COLLINS, WILLIAM E.—Transmission of St. Louis Encephalitis Virus by Larval-Infected *Culex quinquefasciatus* Mosquitoes (March) 237

CONNELL, W. A., see J. E. BAKER (Nov.) 733

CONNERS, JERROLD D., see SHERBURNE F. COOK, JR. (Nov.) 819

COOK, DAVID R.—Studies on the Phreaticolous Water Mites of North America: The Family Neoacaridae (July) 481

COOK, DAVID R.—Studies on the Phreaticolous Water Mites of North America: The Genus *Feltria* (Acarina: Feltridae) (July) 488

COOK, SHERBURNE F., JR., AND JERROLD D. CONNERS—The Short-Term Side Effects of the Insecticidal Treatment of Clear Lake, Lake County, California in 1962 (Nov.) 819

COVELL, JR., CHARLES V.—A Revision of the Neotropical Genus *Erilophodes* (Lepidoptera; Geometridae) (Nov.) 835

CUNNINGHAM, V. D., AND J. T. SCHULZ—Transmission of Virus Y by Instars of *Myzus persicae* (Homoptera: Aphidae) (May) 334

DALY, HOWELL V.—Close-Packed and Fibrillar Muscles of the Hymenoptera (May) 295

DANIELS, NORRIS E.—Eriophyid Mite Collections in the Texas Panhandle (Sci. Note, Nov.) 879

DAVIS, ROBERT, AND PRESTON E. HUNTER—Biological Studies of a *Histiogaster* Mite (Acarina: Acaridae) Associated with Pine Reproduction Weevils (Sept.) 682

DECOURSEY, RUSSELL M.—The Life Histories of *Banasa dimidiata* and *Banosa calva* (Hemiptera: Pentatomidae) (Sept.) 687

DHANDA, V., see B. K. TANDAN (Sept.) 634

DOANE, J. F.—Dispersion on the Soil Surface of Marked Adult *Ctenicera destructor* and *Hypolithus bicolor* (Coleoptera: Elateridae), with Notes on Flight (May) 340

DORNER, ROBERT W., AND MIR S. MULLA—Lower Aliphatic Amines as Chemical Attractants for *Milichiella lacteipennis* (Diptera: Milichiidae) (Jan.) 1

EASSA, Y. E. E.—The Musculature of the Head Appendages and the Cephalic Stomodaeum of *Pieris brassicae* (Lepidoptera: Pieridae) (July) 500

EASSA, Y. E. E.—Metamorphosis of the Cranial Capsule and its Appendages in the Cabbage Butterfly *Pieris brassicae* (July) 510

EDMUNDS, GEORGE F., JR., see RICHARD K. ALLEN (Sept.) 583

EDMUNDS, LELAND N., JR.—The Relation Between Temperature and Flashing Intervals in Adult Male Fireflies, *Photinus pyralis* (Sept.) 716

EICKWORT, G. C., AND R. L. FISCHER—A Morphological Study of the Tibial Spurs of Bees of the Subfamily Halictinae (Hymenoptera: Halictidae) of Eastern North America (May) 348

EISNER, T., C. SWITHENBANK, AND J. MEINWALD—Defense Mechanisms of Arthropods. VIII. Secretion of Salicylaldehyde by a Carabid Beetle (Jan.) 37

ENGLERT, DUWAYNE C., AND A. E. BELL—"Antennapedia": An Unusual Antennal Mutation in *Tribolium castaneum* (Sci. Note, Jan.) 123

EXLINE, HARRIET, see W. H. WHITCOMB (Sept.) 653

FEIGIN, JUDITH M.—Exposure of the House Fly to Selection by *Bacillus thuringiensis* (Sci. Note, Nov.) 878

FEIR, DOROTHY, AND STANLEY D. BECK—Feeding Behavior of the Large Milkweed Bug, *Oncopeltus fasciatus* (March) 224

FEIR, DOROTHY—Effects of Rearing Alone and in Groups on the Growth of the Milkweed Bug, *Oncopeltus fasciatus* (Hemiptera: Lygaeidae) (May) 406

FEIR, DOROTHY—Midgut Bacteria of *Oncopeltus fasciatus* (Hemiptera: Lygaeidae) (Nov.) 829

FEWKES, D. W.—The Effect of Exposure to Dry Conditions on the Eggs of *Aeneolamia varia saccharina* (Homoptera: Cercopidae) (Sept.) 719

FISCHER, R. L., see EICKWORT, G. C. (May) 348

FRAENKEL, G., see J. K. NAYAR (Sci. Note, Jan.) 122

FRAENKEL, G., see J. K. NAYAR (Jan.) 119

FRAENKEL, G., see J. K. NAYAR (March) 174

FRIEDMAN, S., see J. K. BREADY (Sept.) 703

FRIEDMAN, S., see J. K. BREADY (Sept.) 706

FURMAN, D. P., see F. J. RADOVSKY (May) 268

GAMBRELL, F. L., see H. TASHIRO (March) 239

GARCIA, RICHARD, see ELMER P. CATTS (Sept.) 660

GARY, NORMAN E., see ROGER A. MORSE (May) 372

GLASS, E. H.—Parasitism of the Red-Banded Leaf Roller, *Argyrotaenia velutinana*, by *Trichogramma minutum* (Sci. Note, July) 564

GORZ, H. J., see G. R. MANGLITZ (Nov.) 831

GUPPY, J. C.—Observations on the Biology of *Plagiognathus chrysanthemi* (Hemiptera: Miridae), a Pest of Birdsfoot Trefoil in Ontario (Nov.) 804

HARRISON, JAMES O.—On the Biology of Three Banana Pests in Costa Rica (Lepidoptera: Limacodidae and Nymphalidae) (Jan.) 87

HARRISON, JAMES O.—Notes on the Biology of the Banana Flower Thrips *Frankliniella parvula*, in the Dominican Republic (Thysanoptera: Thripidae) (Sept.) 664

HAZELTINE, WILLIAM, see JON B. SNELL (Nov.) 816

HEIE, OLE E., see CLYDE F. SMITH (May) 401

HIBBS, EDWIN T., see RICHARD L. MILLER (Nov.) 737

HILSENHOFF, WILLIAM L.—Predation by the Leech *Helobdella stagnalis* on *Tendipes plumosus* (Diptera: Tendipedidae) Larvae (Sci. Note, Mar.) 252

HITCHCOCK, STEPHEN D.—A Possible Means of Sex Recognition in *Necrobia rufipes* (Coleoptera: Cleridae) (March) 244

HOFFMAN, R. A.—Speciation and Incidence of Tabanidae (Diptera) in the Mississippi Delta (Sept.) 624

HOKAMA, YOSHIAKI, AND CHARLES L. JUDSON—A New Bleaching Technique with Possible General Use in Entomology (May) 407

HOLDAWAY, F. G., see HERNDON R. AGEE (July) 561

HOOGSTRAAL, HARRY AND GLEN M. KOHLS—Observations on the Subgenus *Argas* (Ixodoidea: Argasidae, *Argas*). 6. Redescription and Biological Notes on *A. lagenoplastis* Froggatt, 1906, of Australian Fairy Martins, *Hylochelidon Ariel* (Gould) (Sept.) 577

HORSFALL, WILLIAM R.—Eggs of Floodwater Mosquitoes (Diptera: Culicidae) IX. Local Distribution (July) 426

HOWELL, D. E., see V. H. ZEVE (Jan.) 2

HOWELL, D. E., see V. H. ZEVE (March) 127

HUNTER, PRESTON E., see ROBERT DAVIS (Sept.) 682

HUNTER, ROBERT C., see W. H. WHITCOMB (Sept.) 653

IGNOFFO, CARLO M.—A Successful Technique for Mass-Rearing Cabbage Loopers on a Semisynthetic Diet (March) 178

ISHII, SHOZIRO, J. N. KAPLANIS, AND W. E. ROBBINS—Distribution and Fate of 4-C^{14}-Cholesterol in the Adult Male American Cockroach (Jan.) 115

JAMNBACK, HUGO, AND THOMAS WATTHEWS—Studies of Populations of Adult and Immature *Culicoides sanguisuga* (Diptera: Ceratopogonidae) (Nov.) 728

JAMNBACK, HUGO, AND W. W. WIRTH—The Species of *Culicoides* Related to *obsoletus* in Eastern North America (Diptera: Ceratopoginidae) (March) 185

JOHNSON, CLARENCE D.—A Taxonomic Revision of the Genus *Stator* (Coleoptera: Bruchidae) (Nov.) 860

JOHNSON, NORMAN—*Contarinia washingtonensis* (Diptera: Cecidomyiidae). New Species Infesting the Cones of Douglas-fir (Jan.) 94

JUDSON, CHARLES L., see YOSHIAKI HOKAMA (Sci. Note, May) 407

KAMP, J. W.—Descriptions of Two New Species of Grylloblattidae and of the Adult of *Grylloblatta barberi*, with an Interpretation of Their Geographical Distribution (Jan.) 53

KAPLANIS, J. N., see SHOZIRO ISHII (Jan.) 115

KAPLANIS, J. N., R. E. MONROE, W. E. ROBBINS, AND SPIRO J. LOULOUDES—The Fate of Dietary H^3-β-Sitosterol in the Adult House Fly (March) 198

KARDOS, ERVIN H., see DONALD J. BURDICK (July) 527

KEISTER, MARGARET—The Anatomy of the Tracheal System of *Camponotus pennsylvanicus* (Hymenoptera: Formicidae) (May) 336

KING, EDWIN W.—The Effect of Temperature and Rainfall on the Spring Emergence Pattern of the Carrot Beetle, *Ligyrus gibbosus* (Nov.) 826

KISSINGER, D. G.—The Proventricular Armature of Curculionidae (Coleoptera) (Nov.) 769

KISTNER, DAVID H.—New Genera, New Species, and New Records of Pygostenini From West Africa (Coleoptera: Staphylinidae) (Jan.) 18

KOERBER, THOMAS W.—*Leptoglossus occidentalis* (Hemiptera, Coreidae), Newly Discovered Pest of Coniferous Seed (March) 229

KOHLS, GLEN M., see HARRY HOOGSTRAAL (Sept.) 577

LAMBREMONT, E. N., see MURRAY S. BLUM (May) 345

LAMBREMONT, E. N., AND M. S. BLUM—Fatty Acids of the Boll Weevil (Sept.) 612

LARSEN, WESLEY P.—Some Effects of X-Irradiation on Embryos of the Cockroach *Blaberus craniifer* (July) 442

LARSEN, WESLEY—Survival of Isolated Insect Tissues Following Radiation (Sept.) 720

LATTIN, JOHN D., see PETER D. ASHLOCK (Sept.) 693

LEIGH, THOMAS F.—Life History of *Lygus hesperus* (Hemiptera: Miridae) in the Laboratory (Nov.) 865

LOAN, C. C.—The Bionomics of *Sitona scissifrons* (Coleoptera: Curculionidae) and its Parasite *Microctonus sitonae* (Hymenoptera: Braconidae) (Sept.) 600

LOSCHIAVO, S. R., S. D. BECK, AND D. M NORRIS—Behavioral Responses of the Smaller European Elm Bark Beetle, *Scolytus multistriatus* (Coleoptera: Scolytidae) to Extracts of Elm Bark (Nov.) 764

LOULOUDES, SPIRO J., see J. N. KAPLANIS (March) 198

MACKAUER, MANFRED J. P., see EVERT I. SCHLINGER (Sept.) 648

MANGLITZ, G. R., D. M. ANDERSON, AND H. J. GROZ—Observations on the Larval Feeding Habits of Two Species of *Sitona* (Coleoptera: Curculionidae) in Sweetclover Fields (Nov.) 831

MARSH, PAUL M.—A Key to the Nearctic Subfamilies of the Family Braconidae (Hymenoptera) (July) 522

MAYER, ANN, see ROY J. BARKER (May) 292

MCDANIEL, BURRUSS, AND MANNING A. PRICE—A New Species of *Pteronyssus* from Woodpeckers in Texas (Analgesoidea: Pterolichidae) (Nov.) 789

MCDANIEL, IVAN N.—John Henry Hawkins (1891-1963) (Obituary, Nov.) 880

MCLEOD, D. G. R., AND STANLEY D. BECK—The Anatomy of the Neuroendocrine Complex of the European Corn Borer, *Ostrinia nubilalis* and its Relation to Diapause (Nov.) 723

MCMAHAN, ELIZABETH A.—A Study of Termite Feeding Relationships, Using Radioisotopes (Jan.) 74

MCMILLIAN, W. W.—Reproductive System and Mating Behavior of *Sogata orizicola* (Homoptera: Delphacidae) (May) 330

MEINWALD, J., see T. EISNER (Jan.) 37

MENKE, A. S.—A Review of the Genus *Lethocerus* in North and Central America, Including the West Indies (Hemiptera: Belostomatidae) (May) 261

MERKEL, EDWARD P.—Distribution of the Pine Seedworm, *Laspeyresia anaranjada*, With Notes on the Occurrence of *Laspeyresia ingens* (Sept.) 667

MICHENER, CHARLES D.—The Bee Genus *Eulonchopria* (Hymenoptera, Colletidae) (Nov.) 844

MILLER, RICHARD L., AND EDWIN T. HIBBS—Distribution of Eggs of the Potato Leafhopper, *Empoasca fabae*, on *Solanum* Plants (Nov.) 737

MOCKFORD, EDWARD L.—The Species of Embidopsocinae of the United States (Psocoptera: Liposcelidae) (Jan.) 25

MONROE, R. E., see J. N. KAPLANIS (March) 198

MONROE, R. E., W. E. ROBBINS, D. L. CHAMBERS, AND L. A. TABOR—Sterol Antagonists and House Fly Reproduction (Sci. Note, Jan.) 124

MORSE, ROGER A. AND NORMAN E. GARY—Further Studies of the Responses of Honey Bee (*Apis mellifera* L.) Colonies to Queens with Extirpated Mandibular Glands (May) 372

MOSER, JOHN C.—Contents and Structure of *Atta texana* Nest in Summer (May) 286

MULLA, MIR S., see ROBERT W. DORNER (Jan.) 1

MUMA, MARTIN H., see ALLEN G. SELHIME (Sept.) 709

MUNGER, FRANCIS—Factors Affecting Growth and Multiplication of the Citrus Red Mite, *Panonychus citri* (Nov.) 867

NAYAR, J. K., AND G. FRAENKEL—Practical Methods of Year-Round Laboratory Rearing of the Silkworm *Bombyx mori* (L.) (Lepidoptera, Bombycidae) (Sci. Note, Jan.) 122

NAYAR, J. K., AND G. FRAENKEL—The Chemical Basis of the Host Selection in the Catalpa Sphinx, *Ceratomia catalpae* (Lepidoptera, Sphingidae) (Jan.) 119

NAYAR, J. K., AND G. FRAENKEL—The Chemical Basis of the Host Selection in the Mexican Bean Beetle, *Epilachna varivestis* (Coleoptera, Coccinellidae) (March) 174

NEWKIRK, MAURICE RAY—The Feeding and Mating of *Leptogaster annulatus* (Diptera: Asilidae) (March) 234

NORRIS, D. M., see S. R. LOSCHIAVO (Nov.) 764

OLIVE, A. THOMAS—A New Aphid Genus and Species from the Southern Appalachians (Homoptera) (July) 556

OLSEN, LEE E., AND RAYMOND E. RYCKMAN—Studies on *Odontoloxozus longicornis* (Diptera: Neriidae). Part I. Life History and Descriptions of Immature Stages (July) 454

OLSEN, LEE E., see RAYMOND E. RYCKMAN (July) 470

O'NEILL, KELLIE—An Oriental *Taeniothrips* (Thysanoptera: Thripidae) Infesting Certain Amaryllidaceae (May) 399

PATEL, NARAYAN G., see DOREEN E. ASHHURST (March) 182

PATTON, R. L.—Rearing the House Cricket *Acheta domesticus* on Commercial Feed (Sci. Note, March) 250

PIMENTEL, D., see F. A. STREAMS (Sept.) 712

PIMENTEL, DAVID, AND RAFI AL-HAFIDH—The Coexistence of Insect Parasites and Hosts in Laboratory Ecosystems (Sept.) 676

PRESTAGE, JAMES J., ELEANOR H. SLIFER, AND LEE B. STEPHENS—Thin-Walled Sensory Pegs on the Antenna of the Termite Worker, *Reticulitermes flavipes* (Nov.) 874

PRICE, MANNING A., see BURRUSS MCDANIEL (Nov.) 789

PRICE, ROGER D., AND JAMES R. BEER—The Genus *Kurodaia* (Mallophaga: Menoponidae) from the Falconiformes, with Elevation of the Subgenus *Falcomenopon* to Generic Rank (May) 379

PRICE, ROGER D., AND JAMES R. BEER—The *Kurodaia* (Mallophaga: Menoponidae) Parasitic on the Strigiformes, with a Key to the Species of the Genus (Nov.) 849

PUTTLER, BENJAMIN—Notes on the Biology of *Hemiteles graculus* (Hymenoptera: Ichneumonidae) Parasitizing the Alfalfa Weevil *Hypera postica* (Nov.) 857

RABB, ROBERT L.—Biology of *Conoderus vespertinus* in the Piedmont Section of North Carolina (Coleoptera: Elateridae) (Sept.) 669

RABB, ROBERT L., see SAM G. TURNIPSEED (Nov.) 751

RADOVSKY, F. J., AND D. P. FURMAN—The North American Species of *Steatonyssus* (Acarina: Dermanyssidae) (May) 268

RAI, K. S.—A Comparative Study of Mosquito Karyotypes (March) 160

REEVES, W. C., see R. E. BELLAMY (May) 314

RETTENMEYER, CARL W.—The Behavior of Thysanura Found with Army Ants (March) 170

RICHARDS, A. GLENN—The Effect of Temperature on the Rate of Oxygen Consumption and on an Oxidative Enzyme in the Cockroach, *Periplaneta americana* (May) 355

RICHARDS, A. GLENN, see RONALD L. TAYLOR (July) 418

RIEGEL, GARLAND T.—The Distribution of *Zorotypus hubbardi* (Zoraptera) (Nov.) 744

ROBBINS, W. E., see J. N. KAPLANIS (March) 198

ROBBINS, W. E., see R. E. MONROE (Sci. Note, Jan.) 124

ROBBINS, W. E., see SHOZIRO ISHII (Jan.) 115

ROBERTS, WILLIAM C., see STEPHEN TABER, 3RD (July) 473

ROHLF, F. JAMES—Classification of *Aedes* by Numerical Taxonomic Methods (Diptera: Culicidae) (Nov.) 798

ROSS, H. H.—An Evolutionary Outline of the Leafhopper Genus *Empoasca* Subgenus *Kybos*, with a Key to the Nearctic Fauna (Hemiptera, Cicadellidae) (March) 202

ROSS, MARY H., AND D. G. COCHRAN—Some Early Effects of Ionizing Radiation on the German Cockroach, *Blattella germanica* (May) 256

ROTH, LOUIS M., AND EDWIN R. WILLIS—The Humidity Behavior of *Cosmopolites sordidus* (Coleoptera: Curculionidae) (Jan.) 41

RUSSELL, LOUISE M.—Hosts and Distribution of Five Species of *Trialeurodes* (Homoptera: Aleyrodidae) (March) 149

RYAN, ROGER B.—Contribution to the Embryology of *Coeloides brunneri* (Hymenoptera: Braconidae) (Sept.) 639

RYCKMAN, RAYMOND E., see LEE E. OLSEN (July) 454

RYCKMAN, RAYMOND E., AND LEE E. OLSEN—Studies on *Odontoloxozus longicornis* (Diptera: Neriidae). Part II. Distribution and Ecology (July) 470

SABROSKY, CURTIS W.—John Russell Malloch (1875-1963) (Obituary, July) 565

SCHENK, JOHN A., see EDWIN C. CLARK (March) 246

SCHLINGER, EVERT I., AND MANFRED J. P. MACKAUER—Identity, Distribution, and Hosts of *Aphidius matricariae* Haliday, an Important Parasite of the Green Peach Aphid, *Myzus persicae* (Hymenoptera: Aphidiidae — Homoptera: Aphidoidea) (Sept.) 648

SCHMIDT, MARY LOU, AND JACK R. SCHMIDT—A Morphologic Study of *Phlebotomus papatasi* from Egypt (Diptera: Psychodidae) (Sept.) 567

SCHMIDT, JACK R., see MARY LOU SCHMIDT (Sept.) 567

SCHULZ, J. T., see V. D. CUNNINGHAM (May) 334

SELHIME, ALLEN G., MARTIN H. MUMA, AND D. W. CLANCY—Biological, Chemical, and Ecological Studies on the Predatory Thrips, *Aleurodothrips fasciapennis*, in Florida Citrus Groves (Sept.) 709

SHOREY, H. H.—The Biology of *Trichoplusia ni* (Lepidoptera: Noctuidae) II. Factors Affecting Adult Fecundity and Longevity (July) 476

SLIFER, ELEANOR H., see JAMES J. PRESTAGE (Nov.) 874

SLOOFF, R.—*Uranotaenia gerdae*, a New Species of the *tibialis* Group, from West New Guinea (Diptera: Culicidae) (Jan.) 82

SMITH, CLYDE F., AND OLE E. HEIE—*Megouroparsus*, New Genus, Related to *Microparsus* Patch and *Megoura* Bucton (Homoptera: Aphidae) (May) 401

SMITTLE, B. J. AND G. S. BURDEN—A Mendelian Color Variant in the German Cockroach (Sept.) 718

SNELL, JON B., AND WILLIAM HAZELTINE—The Use of Insecticide to Determine the Life History of an Aquatic Gnat *Chaoborus astictopus* (Nov.) 816

SOUTHGATE, B. J.—The True Identity of the Broom Bruchid (Coleoptera) and Synonymic Notes on Other Species of *Bruchidius* (Nov.) 795

STANGE, LIONEL A.—The Dimarellini of Mexico (Neuroptera: Myrmeleontidae) with the Descriptions of Two New Species of *Dimarella* (Nov.) 810

STEPHENS, LEE B., see JAMES J. PRESTAGE (Nov.) 874

STERN, VERNON M., AND WILLIAM BOWEN—Ecological Studies of *Trichogramma semifumatum*, with Notes on *Apanteles medicaginis*, and their Suppression of *Colias eurytheme* in Southern California (May) 358

STEVSKAL, GEORGE C.—A Note on *Scioptera importans* (Diptera: Otitidae) (Nov.) 878

STREAMS, F. A., AND D. PIMENTEL—Studies on the Sex Ratio of the Harlequin Bug, *Murgantia histrionica* (Hemiptera: Pentatomidae) (Sept.) 712

SWITHENBANK, C., see T. EISNER (Jan.) 37

TABER, STEPHEN, 3RD, AND WILLIAM C. ROBERTS—Egg Weight Variability and its Inheritance in the Honey Bee (July) 473

TABOR, L. A., see R. E. MONROE (Sci. Note, Jan.) 124

TAKADA, HARUO, see MARSHALL R. WHEELER (May) 392

TAKSDAL, GUDMUND—Ecology of Plant Resistance to the Tarnished Plant Bug, *Lygus lineolaris* (Jan.) 69

TANDAN, B. K., AND V. DHANDA—*Falcolipeurus josephi*, A New American Mallophagan, from Caracaras of the Genus *Polyborus*, and a Key to Allied Species (Ischnocera: Philopteridae) (Sept.) 634

TASHIRO, H., AND F. L. GAMBRELL—Correlation of European Chafer Development with the Flowering Period of Common Plants (March) 239

TAYLOR, RONALD L., AND A. GLENN RICHARDS—The Subimaginal Cuticle of the Mayfly *Callibaetis* sp. (Ephemeroptera) (July) 418

TELFORD, ALLAN D.—A Consideration of Diapause in *Aedes nigromaculis* and Other Aedine Mosquitoes (Diptera: Culicidae) (July) 409

TONN, ROBERT J., see JOHN BUTLER (May) 406

TURNIPSEED, SAM G., AND ROBERT L. RABB—Some Factors Influencing Oviposition by the Tobacco Wireworm, *Conoderus vespertinus* (Coleoptera: Elateridae) (Nov.) 751

WALKER, THOMAS J.—The Taxonomy and Calling Songs of United States Tree Crickets (Orthoptera: Gryllidae: Oecanthinae). II. The *nigricornis* Group of the Genus *Oecanthus* (Nov.) 772

WARREN, MICHAEL E., AND OSMOND P. BRELAND—Studies on the Gonads of Some Immature Mosquitoes (Sept.) 619

WATTHEWS, THOMAS, see HUGO JAMNBACK (Nov.) 728

WATTS, J. G.—Insects Associated with Black Grama Grass *Boutcloua eriopoda* (May) 374

WHEELER, MARSHALL R., AND HARUO TAKADA—A Revision of the American Species of *Mycodrosophila* (Diptera: Drosophilidae) (May) 392

WILKES, JEFF THOMAS, II—A Recessive Albinism in the Citrus Red Mite (Nov.) 792

WHITCOMB, W. H., HARRIET EXLINE, AND ROBERT C. HUNTER—Spiders of the Arkansas Cotton Field (Sept.) 653

WHITE, RICHARD E.—The Mexican Book Beetle, *Catorama herbarium*, Established in the United States (Anobiidae) (May) 280

WHITTEN, JOAN M.—Observations on the Cyclorrhaphan Larval Peripheral Nervous System: Muscle and Tracheal Receptor Organs and Independent Peripheral Type II Neurons Associated with the Lateral Segemental Nerves (Nov.) 755

WILLIAMSON, DARRELL L., see EDWIN C. CLARK (March) 246

WILLIS, EDWIN R., see LOUIS M. ROTH (Jan.) 41

WIRTH, W. W., see HUGO JAMNBACK (March) 185

WOODRING, J. P., and M. S. BLUM—Freeze-Drying of Spiders and Immature Insects (March) 138

WOODRING, J. PORTER, see MURRAY S. BLUM (May) 345

WOODRING, J. P., and M. S. BLUM—The Anatomy and Physiology of the Repugnatorial Glands of *Pachydesmus crassicutus* (Diplopoda) (July) 448

ZEVE, V. H., AND D. E. HOWELL—The Comparative External Morphology of *Trichobius corynorhini*, *T. major*, and *T. sphaeronotus* (Diptera: Streblidae) Part II. The Thorax (Jan.) 2

ZEVE, V. H., AND D. E. HOWELL—The Comparative External Morphology of *Trichobius corynorhini*, *T. major*, and *T. sphaeronotus* (Diptera: Streblidae) Part III. The Abdomen (March) 127